


TOYOTA STARLET



**SPACE FOR EVERY
FUN**






SPECIFICATIONS

Starlet 1.5L XR AT Starlet 1.5L XR MT Starlet 1.5L Xs 4AT Starlet 1.5L Xs 5MT Starlet 1.5L Xi 5MT

Engine and Drivetrain					
Bore x Stroke (mm)	74.0 x 85.0	74.0 x 85.0	74.0 x 85.0	74.0 x 85.0	74.0 x 85.0
Fuel System	Petrol	Petrol	Petrol	Petrol	Petrol
Maximum Power (kW @ r/min)	77 @ 6000	77 @ 6000	77 @ 6000	77 @ 6000	77 @ 6000
Maximum Torque (Nm @ r/min)	138 @ 4400	138 @ 4400	138 @ 4400	138 @ 4400	138 @ 4400
Number of Cylinders and Arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Engine capacity (litre)	1.5	1.5	1.5	1.5	1.5
Fuel Consumption (Combined Cycle) (l/100km)	5.7	5.4	5.7	5.4	5.4
CO2 Emission (g/km)	133	127	133	127	127
0-100 (sec)	11.2	11.2	11.2	11.2	11.2
Transmission					
Transmission	Automatic-4-speed	Manual-5-speed	Automatic-4-speed	Manual-5-speed	Manual-5-speed
Driven Wheels	FWD	FWD	FWD	FWD	FWD
Starting System	Push Start	Push Start	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)
Suspension					
Front	MacPherson	MacPherson	MacPherson	MacPherson	MacPherson
Rear	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam
Wheels and Tyres					
Spare Wheel	Space Saver T135-70R15	Space Saver T135-70R15	Space Saver T135-70R15	Space Saver T135-70R15	Space Saver T135-70R15
Tyre Size	F:195-55R16 alloy R:195-55R16 alloy	F:195-55R16 alloy R:195-55R16 alloy	F:195-55R16 alloy R:195-55R16 alloy	F:195-55R16 alloy R:195-55R16 alloy	F:185-65R15 Steel R:185-65R15 Steel
Body and Styling					
Daytime Running Light	Standard LED	Standard LED			
Door Outside Handles	Chrome	Chrome	Colour - Coded	Colour - Coded	Colour - Coded
Front Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Front Fog Lamps	Standard LED	Standard LED	Standard LED	Standard LED	
Headlights	LED + Projector	LED + Projector	Halogen	Halogen	Halogen
Headlamp Levelling	Standard Manual	Standard Manual	Standard Manual	Standard Manual	Standard Manual
Light Control System	Auto Light Control System, Follow me home	Auto Light Control System, Follow me home			
Side Mirrors	Colour Coded Power / Auto-Retractable / With Indicator / Power Retractable	Colour Coded Power / Auto-Retractable / With Indicator / Power Retractable	Colour Coded Power / With Indicator / Power Retractable	Colour Coded Power / With Indicator / Power Retractable	Colour Coded Power / With Indicator / Power Retractable
Front Grille	Black, Chrome	Black, Chrome	Black, Chrome	Black, Chrome	Black, Chrome
Rear Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Rear Lights	LED	LED	LED	LED	LED
Front Window Wiper	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent
Rear Window Wiper	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent
Interior, Comfort and Convenience					
Package trim and Tonneau cover
Cupholders	Standard 2	Standard 2	Standard 2	Standard 2	Standard 2



SPECIFICATIONS

Starlet 1.5L XR AT

Starlet 1.5L XR MT

Starlet 1.5L Xs 4AT

Starlet 1.5L Xs 5MT

Starlet 1.5L Xi 5MT


Interior, Comfort and Convenience

Floor Carpet Trim	Carpet	Carpet	Carpet	Carpet	Carpet
Rear View Mirror	Electrochromatic (EC)	Electrochromatic (EC)	Day & Night	Day & Night	Day & Night
Key Reminder Warning	•	•	•	•	•
Luggage Room Lamp	•	•			
2nd Row Seats	60:40 Manual	60:40 Manual	60:40 Manual	60:40 Manual	60:40 Manual
Seat Trim	Fabric	Fabric	Fabric	Fabric	Fabric
Shift Lever & Knob	Urethane, Chrome	Urethane, Chrome	Urethane, Chrome	Urethane, Chrome	Urethane, Chrome
Speedometer	Analog Tachometer	Analog Tachometer	Analog Tachometer	Analog Tachometer	Analog Tachometer
Steering Wheel	3 Spoke Leather	3 Spoke Leather	3 Spoke Urethane	3 Spoke Urethane	3 Spoke Urethane
Centre Console	•	•	•	•	•
Cruise Control	•	•			
Airconditioner	Auto	Auto	Auto	Auto	Auto
Audio System	Toyota Display Audio, 9-inch	Toyota Display Audio, 9-inch	Toyota Display Audio, 7-inch	Toyota Display Audio, 7-inch	Toyota Display Audio, 7-inch
Reverse Camera	Display Audio	Display Audio			
Bluetooth	•	•	•	•	•
Front Armrest	Standard With Slide	Standard With Slide	Standard With Slide	Standard With Slide	Standard With Slide
Front Seat Vertical Adjuster	Driver Manual	Driver Manual			
Light Remind Warning	•	•	•	•	•
Multi-Information Display	Standard TFT Colour	Standard TFT Colour	•	•	•
Power Socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V	Front - 12V
Power Steering	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)
Electric Windows	All	All	All	All	All
Speakers	Standard 6	Standard 6	Standard 4	Standard 4	Standard 4
Steering Column Adjustments	Manual Tilt, Telescopic	Manual Tilt, Telescopic	Manual Tilt	Manual Tilt	Manual Tilt
Steering Switches	Standard Audio, Telephone, Cruise Control	Standard Audio, Telephone, Cruise Control	Standard Audio, Telephone	Standard Audio, Telephone	Standard Audio, Telephone
USB	Standard 3	Standard 3	Standard 3	Standard 3	Standard 3
Android Auto & Apple CarPlay	•	•	•	•	•
Toyota Connect Enabled	•	•	•	•	•
USB Type A	Standard 1PC	Standard 1PC	Standard 1PC	Standard 1PC	Standard 1PC
USB Type C	Standard 2PCs	Standard 2PCs	Standard 2PCs	Standard 2PCs	Standard 2PCs

Safety and Security

Anti-Theft System	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm
-------------------	-------------------	-------------------	-------------------	-------------------	-------------------

Issued on: 2025/10/13



SPECIFICATIONS

	Starlet 1.5L XR AT	Starlet 1.5L XR MT	Starlet 1.5L Xs 4AT	Starlet 1.5L Xs 5MT	Starlet 1.5L Xi 5MT
--	--------------------	--------------------	---------------------	---------------------	---------------------

Safety and Security

Centre Rear Seatbelt	Standard 3-Point	Standard 3-Point	Standard 3-Point	Standard 3-Point	Standard 3-Point
Child Lock	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door
Child Restraint System (ISOFIX)	Standard 2	Standard 2	Standard 2	Standard 2	Standard 2
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Front Seat Belts	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter
Rear Brake	Drum	Drum	Drum	Drum	Drum
Rear Seat Belts	Standard ELR	Standard ELR	Standard ELR	Standard ELR	Standard ELR
Seat Belt Warning	Front + Rear	Front + Rear	Front + Rear	Front + Rear	Front + Rear
Wireless Door Lock	Standard Smart Entry	Standard Smart Entry	Standard Remote	Standard Remote	Standard Remote
Airbags	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger

Driver Support Systems


Park Distance Control	Standard Rear	Standard Rear	Standard Rear	Standard Rear	Standard Rear
Anti-Lock Braking System (ABS)	•	•	•	•	•
Brake Assist (BA)	•	•	•	•	•
Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Hill Assist Control (HAC)	•	•	•	•	•
Vehicle Stability Control (VSC)	•	•	•	•	•

Service and Warranty

Service Plan	4 Services / 60,000km	4 Services / 60,000km	4 Services / 60,000km	4 Services / 60,000km	4 Services / 60,000km
Service Interval	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km
Warranty	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km

Dimensions and Capacities

Front Tread (mm)	1505	1515	1505	1515	1515
Fuel Tank Size (L)	37	37	37	37	37
Gross Combination Mass (GCM)	2430	2430	2430	2430	2430
Ground Clearance (mm)	150	150	150	150	150
Gross Vehicle Mass (GVM)	1430	1430	1430	1430	1430
Height (mm)	1500	1500	1500	1500	1500
Kerb Weight (kg)	975-990	965-980	975-990	965-980	965-980
Length (mm)	3990	3990	3990	3990	3990
Lugage Capacity (L)	314	314	314	314	314
Rear Tread (mm)	1510	1520	1510	1520	1520
Towing Capacity - Unbraked (kg)	400	400	400	400	400
Towing Capacity - Braked (kg)	1000	1000	1000	1000	1000



SPECIFICATIONS

Starlet 1.5L XR AT

Starlet 1.5L XR MT

Starlet 1.5L Xs 4AT

Starlet 1.5L Xs 5MT


Starlet 1.5L Xi 5MT

Dimensions and Capacities

Turning circle (tyres, m)	5.1	5.1	5.1	5.1	5.1
Wheelbase (mm)	2520	2520	2520	2520	2520
Width (mm)	1745	1745	1745	1745	1745
Top Speed (km/h)	160	175	160	175	175

Issued on: 2025/10/13

LINE DRAWING



EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE

WBG - Luxe Red



WBF - Shadow Grey



WBJ - Champagne




ZHJ - Mystic Pearl White



Z1Q - Dark Indigo Blue

WBE - Premium Liquid
Silver

WB3 - Sonic Black Pearl

**Disclaimer:**

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

